

FIG. 1



FIG. 2



FIG 3



FIG. 4


100
102
502
506
512
504
104
508
514
108
CHANNEL CONTROLLER
510
106

FIG 5



FIG. 6A


102
104
630
638
640
632
642
634
636
644
601
108
CHANNEL CONTROLLER
610
BW_N
608
BW_2
606
BW_1
100

FIG. 6B


700
702
706
λ_p
$\lambda_p - \lambda_d$
704
λ_d

FIG. 7


800
802
806
λ_p
$\lambda_p + \lambda_a$
804
λ_a

FIG. 8



FIG. 9



FIG. 10



FIG. 11



FIG. 12



FIG. 13


$\lambda_p + \sum_{k=1}^{n} \lambda_{dk}$
700
λ_{d_1}
800
$\lambda_p + \sum_{k=2}^{n} \lambda_{dk}$
λ_{a_1}
$\lambda_p + \sum_{k=2}^{n} \lambda_{dk} + \lambda_{a_1}$
700
λ_{d_2}
1400
800
$\lambda_p + \sum_{k=3}^{n} \lambda_{dk} + \lambda_{ai}$
λ_{a_2}
$\lambda_p + \sum_{k=3}^{n} \lambda_{dk} + \lambda_{a_1} + \lambda_{a_2}$
700
λ_{dn}
800
$\lambda_p + \lambda_{a_1} + \lambda_{a_2}$
λ_{an}
$\lambda_p + \sum_{i=1}^{n} \lambda_{ai}$

FIG. 14



FIG. 15


1617
1606
1604
1602
λd_1 (BW1)
λd_2 (BW2)
1616
λp
$\lambda p - \lambda d_1$
$\lambda p - \lambda d_2$
1610
1612
Adjustment Mechanism
1614
1618
1600

FIG. 16



FIG. 17


START
RECEIVE A PLURALITY OF OPTICAL CHANNELS
1802
DIRECT FIRST DROP CHANNEL TO ADD/DROP PORT
1804
DIRECT FIRST ALTERNATE CHANNEL TO OUTPUT PORT
1806
TUNE CHANNEL SELECTOR FROM FIRST DROP CHANNEL TO SECOND DROP CHANNEL
1808
DIRECT SECOND DROP CHANNEL TO ADD/DROP PORT
1810
DIRECT SECOND ALTERNATE CHANNEL TO OUTPUT PORT
1812

FIG. 18


START
RECEIVE A LIGHT BEAM
1902
1906
DIRECT FIRST DROP CHANNEL TO ADD/DROP PORT
1904
1908
ADJUST RELATIVE POSITION BETWEEN VARIABLE BANDWIDTH FILTER MODULE
1910
DIRECT SECOND DROP CHANNEL TO ADD/DROP PORT

FIG. 19